

Prepared for:

AMBARY GARDENS

15000 W 6th Ave Unit 104
Golden, CO USA 80401

Ambary Daylight Gummies

Batch ID or Lot Number: ADLG002	Test: Potency	Reported: 12Oct2022	USDA License: N/A
Matrix: Unit	Test ID: T000223971	Started: 11Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 06Oct2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.208	0.779	1.030	0.30	# of Servings = 1, Sample Weight=3.6g
Cannabichromenic Acid (CBCA)	0.190	0.712	ND	ND	
Cannabidiol (CBD)	0.669	2.009	14.410	4.00	
Cannabidiolic Acid (CBDA)	0.686	2.060	ND	ND	
Cannabidivarin (CBDV)	0.158	0.475	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.286	0.860	ND	ND	
Cannabigerol (CBG)	0.118	0.442	17.270	4.80	
Cannabigerolic Acid (CBGA)	0.493	1.848	ND	ND	
Cannabinol (CBN)	0.154	0.577	ND	ND	
Cannabinolic Acid (CBNA)	0.337	1.261	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.588	2.202	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.534	2.000	<LOQ	0.20	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.473	1.772	ND	ND	
Tetrahydrocannabivarin (THCV)	0.107	0.402	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.417	1.563	ND	ND	
Total Cannabinoids			33.320	9.26	
Total Potential THC			0.610	0.17	
Total Potential CBD			14.410	4.00	

Final Approval



Karen Winternheimer
13Oct2022
10:30:00 PM MDT

PREPARED BY / DATE



Sam Smith
13Oct2022
10:31:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e9031358-4af6-49bb-973c-9c738d37a4fd>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
e90313584af649bb973c9c738d37a4fd.1